

:) (-

μ μ -



: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501-+	(17/07-09-2016)	
μ					
20.04.01	.01	E μ - μ μ	02-04-00-00		
20.10	.02	μ , μ	02-07-02-00		
20.40	.03				
\20.30	.04	μ μ μ μ			
22.20.01	.05				
\22.04	.06	μ μ μ μ			
\22.10.01	.07	μ μ μ , μ	15-02-01-01		
32.01.03	.08	μ μ , μ μ , μ μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.04	.09	μ μ , μ μ , μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		

	μ.		1501- +	(17/07-09-2016)	
μ					
32.01.05	.10	μ μ μ μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
38.02	.11	μ	01-04-00-00		
38.20.03	.12	μ μ μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
38.45	.13	μ μ			
\38.02	.14	μ μ			
50.01.01	.15				
\52.13	.16				
61.23	.17	anglaises) (cour			
\64.41	.18	μ			
\64.41	.19	μ			
\73.16.02	.20	μ 40x40cm			
\73.16	.21	μ			
\73.91	.22	μ			
\75.01.01	.23	3 cm μ μ μ μ			
\75.01.03	.24	5 cm μ μ μ μ			
\79.81.01	.25	μ μ			
\79.37	.26	μ μ μ	08-05-02-05		
02	.27	- μ	02-02-01-00 *		02-02-01-00
02.1	.28	μ μ μ			
01	.29	5,00 m μ	02-04-00-00		
02	.30	μ μ	02-08-00-00		

	μ.		1501- +	(17/07-09-2016)	
μ					
29.3.1	.31	μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
51	.32	μ	05-02-01-00 *	- -	05-02-01-00
\ 51	.33	μ μ μ			
85	.34	μ μ μ μ			
02.1	.35	μ	05-03-03-00 *	μ	05-03-03-00
01	.36	μ μ μ			
\ 01	.37	μ μ			
03	.38		05-03-11-01		
04	.39				
07	.40	μ μ (0,05m)	05-03-11-04 *	μ () μ	05-03-11-04
08.1	.41	m μ , μ μ 0,05	05-03-11-04 *	μ () μ μ	05-03-11-04
7.06	.42	μ μ μ			
11.01.02	.43	K μμ μ (ductile iron)			
11.02.04	.44		08-07-01-04		
12.10.03	.45	μ PVC-U μ PVC-U, SDR 41, DN 160 mm	08-06-02-02 *	-PVC	08-06-02-02
12.10.05	.46	μ PVC-U μ PVC-U, SDR 41, DN 250 mm	08-06-02-02 *	-PVC	08-06-02-02

	μ.		1501- +	(17/07-09-2016)	
μ					
12.10.06	.47	μ 41, DN 315 mm	PVC-U μ PVC-U, SDR	08-06-02-02 *	-PVC 08-06-02-02
12.10.07	.48	μ 41, DN 355 mm	PVC-U μ PVC-U, SDR	08-06-02-02 *	-PVC 08-06-02-02
12.10.08	.49	μ 41, DN 400 mm	PVC-U μ PVC-U, SDR	08-06-02-02 *	-PVC 08-06-02-02
12.12.01.02	.50	μ PVC-U 41 μ /μ 250/160 mm.	PVC-U μ μ μ , μ μ	08-06-02-02 *	-PVC 08-06-02-02
12.12.01.03	.51	μ PVC-U 41 μ /μ 315/160 mm.	PVC-U μ μ μ , μ μ	08-06-02-02 *	-PVC 08-06-02-02
12.12.01.04	.52	μ PVC-U 41 μ /μ 355/160 mm	PVC-U μ μ μ , μ μ	08-06-02-02 *	-PVC 08-06-02-02
12.12.01.05	.53	μ PVC-U 41 μ /μ 400/160 mm.	PVC-U μ μ μ , μ μ	08-06-02-02 *	-PVC 08-06-02-02
16.14.01	.54	μ μ μ μ 1917, μ μ 1,20 m			
\16.01	.55	μ			
\9302	.01				
\9307.7	.02	60 x 80 cm, 100 cm			
\9306	.03	μ , μ ,			
\9307.6.1	.04	40 x 40 cm, 40 cm			
9303	.05	μ μ μ μ			
\9312.3	.06	0,8μ X 0,8μX1,0μ			
\9325.2	.07	7 μ.			
\9315.1	.08	μ			

	μ.		1501-+	(17/07-09-2016)	
μ					
\9315.2	.09	110/90	μ		
\9316.6	.10	μ 2 1/2 ins	μ		
9305	.11	μ	19 9 6 cm		
\9337.5.2.5	.12	Y 5 2,5 mm			
9336.1.1	.13		μ 3 1,5mm2		
\9342	.14		22 μ 1,50m		
9340.2	.15	μ	μ 16mm2		
\9361.1.11	.16	μ 40 W	LED		
\9353	.17	μ			
\9350.1	.18		μ () 1.10x0.30x1.20 m		
\9311.4	.19	0,80X0,4X0,30			
\9361.1.3	.20	LED μ	28 -40 W μ		
\9430.2	.21	μ	μ		
\9361.1.2	.22	μ LED	μ 28 W μ		
\62.10.15.01	.23	-	μ 8,00 m,		
08.2.2	.01	μ 12899-1	μ μ μ 2		
17.2	.02	μμ	μ μ μ		
09.4	.03	μ	μ μ		
\ 09.7	.04		, , 0,60 m		
\ 09.8	.05				
\ 10.3	.06	2mm & μ	μ 3,00m 3,80m μ 2",	05-04-07-00 *	μ 05-04-07-00
\ 17.3	.07	μ μ μ & μ μ	μ μ -		
02	.1.01		- μ	02-02-01-00 *	02-02-01-00

	μ.		1501- +	(17/07-09-2016)	
μ					
07	.1.02	μ μ , μ	02-07-05-00		
07	.1.03	μ μ	02-07-05-00		
10	.1.04	μ	10-05-02-01		
02	.1.05	μ	10-05-02-01		
01	.1.06	μ			
01.4	.1.07	, 4	10-09-01-00		
02.3	.1.08	μ , 3	10-09-01-00		
02.2	.1.09	μ - μ 0,31 μ 0,60 m	10-07-01-00		
01.1	.1.10	μ 0,30 0,30 0,30 m μ ,	10-05-01-00		
01.2	.1.11	μ 0,50 0,50 0,50 m μ ,	10-05-01-00		
09.4	.1.12	μ μ μ 2,00 - 4,00 lt	10-05-01-00		
09.6	.1.13	μ μ μ 12,50 - 22,00 lt	10-05-01-00		
11.1.1	.1.14	μ μ 2,50 m μ	10-05-09-00		
03.1	.1.15	μ	10-06-03-00		
06.1	.1.16	μ μ	10-06-06-00		
08.1.1	.1.17	μ μ ,	10-06-07-00		
04.8.1	.1.18	μ μ μ	10-06-04-03		
13.2	.1.19	μ	10-05-02-02		
\ 05.2	.1.20				
02.3.5	.2.01	110 mm PVC 10 atm, μ μ	08-06-02-01		
01.2.4	.2.02	μ 40 mm 10 atm, μ	10-08-01-00		
01.2.3	.2.03	μ 32 mm 10 atm, μ	10-08-01-00		
01.1.1	.2.04	μ 16 mm () 6 atm, μ	10-08-01-00		
08.2.3.2	.2.05	μ μ 16 17 mm μ 50 cm	10-08-01-00		

	μ.		1501-+	(17/07-09-2016)	
μ					
08.2.3.1	.2.06	16 17 mm μ 33 cm	10-08-01-00		
08.3.1.2	.2.07	10 cm μ , μ μ	10-08-01-00		
09.1.1.1	.2.08	(μ μ), 10 atm, μ 1 in	10-08-01-00		
09.1.1.6	.2.09	(μ μ), 10 atm, μ 1 in	10-08-01-00		
09.2.5.1	.2.10	μ μ / 4-6 μ	10-08-01-00		
09.2.14.1	.2.11	μ μ 80 x 60 x 25 (cm), 1,2 mm			
09.2.13.3	.2.12	, 30 x 40 cm, 4 /			
9424.1	.2.13	40X40cm			
5160	.2.14	μ μ μ			
μ					
1444		μ μ 600 kg			

	μ.		1501-+	(17/07-09-2016)	
μ					
1445		μ μ 450 kg			

15 / 4 / 2019

15 / 4 / 2019

15 / 4 / 2019