

μ μ -

: 17/07-09-2016 ( : 75 46530 - 2 ), 26/ 04-10-2012 ( : 4 81-70 )

	μ.		1501- +	( 17/07-09-2016)	
μ					
02	1	- μ	02-02-01-00 *		02-02-01-00
02	2	μ μ	02-08-00-00		
29.3.1	3	μ , μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
29.3.4	4	μ C16/20 ( , ) μ	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
51	5	μ	05-02-01-00 *	- -	05-02-01-00
01.1	6	μ	05-03-03-00 *	μ	05-03-03-00
02.2	7	0,10 m ( . . . -155)	05-03-03-00 *	μ	05-03-03-00

	μ.		1501- +	( 17/07-09-2016)	
μ					
29.3.3	8	μ , μ C16/20 ,	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
01	9	μ μ μ			
49	10	μμ , μ	08-07-01-01		
30.3	11	μ B500C μ , x μ	01-02-01-00 *	μ μ	01-02-01-00
85	12	μ μ μ μ			
06	13				
12	14	μ μ	15-02-01-01		
78.96	15	μ μ			
\9302	16				
\9306	17	μ , μ ,			
\9307.6.2	18	40 x40 cm, 40 cm			
\9325.3	19	4,8			
9303	20	μ μ μ			
\9312.3	21	0,8μ X 0,8μX1,0μ			
\9315.1	22	μ			
\9316.6	23	μ 2 1/2 ins μ			
\9337.5.2.5	24	Y 5 2,5 mm			
9336.1.1	25	μ 3 1,5mm2			
\9342	26	22 μ 1,50m			
9340.2	27	μ μ 16mm2			

	μ.		1501- +	( 17/07-09-2016)	
μ					
\9361.1.9	28	μ led 40 W			
\9350.1.4	29	μ ( ) 0.70x0.37x0.80 m			
\9311.4	30	0,80X0,4X0,30			
\9315.2	31	(HDPE) 110/93.			
μ					
1444		μ μ 600 kg			
1445		μ μ 450 kg			

I