

:

μ μ -

: 17/07-09-2016 ( : 75 46530 - 2 ), 26/ 04-10-2012 ( : 4 81-70 )

	μ.		1501- +	( 17/07-09-2016)	
μ					
22.20.02	A.01	μ 50%			
\22.20.02	A.02	μ μ , 70%			
\22.04	A.03	μ μ μ μ			
22.10.01	A.04	μ μ μ μ , μ μ	15-02-01-01		
\20.30	A.05	μ μ μ μ μ			
\ 01	A.06	μ μ			
01	A.07	μ μ μ			
02.1	A.08	μ μ μ			
02	A.09	- μ	02-02-01-00 *		02-02-01-00
01	A.10	μ 5,00 m	02-04-00-00		
02	A.11	μ μ	02-08-00-00		
20.10	A.12	μ μ	02-07-02-00		
02.1	A.13	μ	05-03-03-00 *	μ	05-03-03-00
32.01.03	A.14	μ μ μ μ μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		

\*

	μ.		1501- +	( 17/07-09-2016)	
μ					
32.01.04	A.15	μ μ μ μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.05	A.16	μ μ μ μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
38.03	A.17		01-04-00-00		
38.02	A.18	μ	01-04-00-00		
38.20.03	A.19	μ μ μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
38.20.02	A.20	μ μ B500C.	01-02-01-00 *	μ μ	01-02-01-00
61.23	A.21	anglaises) (cour			
38.45	A.22	μ μ			
\ 56	A.23	μ			
\79.81.01	A.24	μ μ	05-02-02-00 *	- μ	05-02-02-00
\73.16	A.25	μ	05-02-02-00 *	- μ	05-02-02-00
\73.16.02	A.26	μ μ 40x40cm	05-02-02-00 *	- μ	05-02-02-00
\75.01.03	A.27	μ μ μ μ (μ 5 cm)	03-07-03-00 *	μ	03-07-03-00
\75.01.01	A.28	μ μ μ μ (μ 3 cm)	03-07-03-00 *	μ	03-07-03-00
\74.35	A.29	μ	03-07-03-00 *	μ	03-07-03-00
51	A.30	μ μ μ	03-07-03-00 *	μ	03-07-03-00
\38.02	A.31	μ μ			

	μ.		1501- +	( 17/07-09-2016)	
μ					
\79.37	A.32	μ μ	08-05-02-05		
\79.37	A.33	μ μ μ	08-05-02-05		
12.10.06	A.34	μ PVC-U μ PVC-U, SDR 41, DN 315 mm	08-06-02-02 *	-PVC	08-06-02-02
11.02.04	A.35	,	08-07-01-04		
11.01.02	A.36	K μμ μ (ductile iron)			
22.20.01	A.37				
51	A.38	μ	05-02-01-00 *	- -	05-02-01-00
\61.29	A.39	μ μ			
\52.13	A.40				
\64.41	A.41	μ			
29.3.1	A.42	μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
50.01.01	A.43				
\61.29	A.44	μ			
12.10.07	A.45	μ PVC-U μ PVC-U, SDR 41, DN 355 mm	08-06-02-02 *	-PVC	08-06-02-02
12.10.08	A.46	μ PVC-U μ PVC-U, SDR 41, DN 400 mm	08-06-02-02 *	-PVC	08-06-02-02

	μ.		1501- +	( 17/07-09-2016)	
μ					
12.12.01.03	A.47	μ PVC-U μ μ μ , PVC-U 41 μ /μ μ μ 315/160 mm.	08-06-02-02 *	-PVC	08-06-02-02
12.12.01.04	A.48	μ PVC-U μ μ μ , PVC-U 41 μ /μ μ μ 355/160 mm	08-06-02-02 *	-PVC	08-06-02-02
12.12.01.05	A.49	μ PVC-U μ μ μ , PVC-U 41 μ /μ μ μ 400/160 mm.	08-06-02-02 *	-PVC	08-06-02-02
16.14.01	A.50	μ μ 1917, μ μ 1,20 m			
\9302	.01				
\9306	.02	μ , μ ,			
\9307.6.1	.03	40 x 40 cm, 40 cm			
9303	.04	μ μ			
\9315.2	.05	110/90 μ			
9305	.06	μ 19 9 6 cm			
\9312.3	.07	0,8μ X 0,8μX1,0μ			
\9325.1	.08	6μ			
\9315.1	.09	μ			
\9316.6	.10	μ 2 1/2 ins μ			
\9337.5.2.5	.11	Y 5 2,5 mm			
9336.1.1	.12	μ 3 1,5mm2			
\9342	.13	22 μ 1,50m			
9340.2	.14	μ μ 16mm2			
\9361.1.2	.15	μ LED μ 28 W μ			
\9353	.16	μ			
\9350.1	.17	μ ( ) 1.10x0.30x1.20 m			
\9311.4	.18	0,80X0,4X0,30			

	μ.		1501- +	( 17/07-09-2016)	
μ					
\62.10.15.01	.19	-	8,00 m,		
\9361.1.3	.20	LED	28 -40 W		
\9337.5.4	.21	Y 5 4mm			
01	.01	μ			
02	.02	μ		10-05-02-01	
07	.03	μ	μ	02-07-05-00	
10	.04	μ		10-05-02-01	
03.1	.05	μ		10-06-03-00	
01.4	.06	,	4	10-09-01-00	
03	.07	μ	μ		
02.2	.08	μ	2	10-09-01-00	
11.1.1	.09	μ	2,50 m	10-05-09-00	
09.6	.10	μ μ	μ 12,50 - 22,00 lt	10-05-01-00	
01.1	.11	μ	0,30 0,30 0,30 m	10-05-01-00	
01.2	.12	μ	0,50 0,50 0,50 m	10-05-01-00	
09.4	.13	μ μ	μ 2,00 - 4,00 lt	10-05-01-00	
02.3	.14	μ -	μ 0,61 μ 0,90 m	10-07-01-00	
04.3.4	.15	μ μ	μ 12 - 16 m	10-06-04-01 *	10-06-04-01
01.2.4	.16	μ	40 mm 10 atm, μ	10-08-01-00	
01.1.1	.17	μ	16 mm ( ) 6 atm, μ	10-08-01-00	
02.3.3	.18	75 mm	PVC 10 atm, μ μ	08-06-02-01	
07.1	.19	μμ	, , μ 3/4 1 in.		
08.2.3.2	.20	μ μ	16 17 mm μ 50 cm	10-08-01-00	
09.1.1.1	.21	,	( μ μ μ ), 10 atm, μ 1 in	10-08-01-00	

	μ.		1501- +	( 17/07-09-2016)	
μ					
09.1.1.6	.22	( μ ), 10 atm, μ μ μ μ μ μ 1 in	10-08-01-00		
09.2.2.1	.23	μμ μ 2-4	10-08-01-00		
09.2.13.3	.24	, 30 x 40 cm, 4 /			
09.2.14.1	.25	μ μ μ 80 x 60 x 25 (cm), 1,2 mm			
08.2.1.1	.26	μ 6 17 mm ( ) μ μ μ 33 cm	10-08-01-00		
48.02.04	.27	1 1/2 ( μ )			
μ					
1444		μ μ 600 kg			
1445		μ μ 450 kg			