

/

:

: 48/2018

μ μ -

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501- +	(17/07-09-2016)	
μ					
02	1.01	- μ	02-02-01-00 *		02-02-01-00
18.3	1.02	μ , μ 4	02-06-00-00		
20	1.03	μ	02-07-01-00 *	μ μ μ	02-07-01-00
20.20	1.04	μ μ			
31.02.01	1.05	μ μ 200 kg μ m3	01-01-01-00 *	μ	01-01-01-00
32.01.03	1.06	μ μ μ , μ μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.04	1.07	μ μ μ , μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.06	1.08	μ μ μ , μ μ C25/30	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		

*

	μ.		1501- +	(17/07-09-2016)	
μ					
38.20.02	1.09	μ μ , B500C.	01-02-01-00 *	μ μ	01-02-01-00
38.20.03	1.10	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
38.45	1.11	μ μ			
38.03	1.12		01-04-00-00		
30.5	1.13	l μ			
45	1.14	μ 60mm - μ	05-01-06-00		
43.1	1.15	μ μ μ μ μ μ			
.20.30	1.16	() - -			
02.3.5	2.01	110 mm PVC 10 atm, μ μ	08-06-02-01		
01.2.6	2.02	μ 63 mm 10 atm, μ	10-08-01-00		
01.2.5	2.03	μ 50 mm 10 atm, μ	10-08-01-00		
01.2.4	2.04	μ 40 mm 10 atm, μ	10-08-01-00		
01.1.1	2.05	μ 16 mm () 6 atm, μ	10-08-01-00		
08.2.1.2	2.06	μ 6 17 mm () μ μ , 50 cm	10-08-01-00		
08.3.1.2	2.07	10 cm μ , , μ μ	10-08-01-00		
08.3.2.1	2.08	5 - 9 m, μ μ 10 cm, ,	10-08-01-00		
08.3.3.1	2.09	7 - 14 m, μ μ μ , ,	10-08-01-00		
09.1.1.1	2.10	(), 10 atm, , μ μ μ , μ 1 in	10-08-01-00		
09.1.1.6	2.11	(), 10 atm, , μ μ μ μ , μ 1 in	10-08-01-00		
09.2.14.1	2.12	μ , μμ 80 x 60 x 25 (cm), 1,2 mm			
09.2.5.1	2.13	μ / μμ 4-6 μ ,	10-08-01-00		

	μ.		1501- +	(17/07-09-2016)	
μ					
10	2.14	, μ μ μ	08-01-03-01		
			08-01-03-02 *	μ	08-01-03-02
\5160	2.15	μ μ μ μ			
9337.3.1.1	2.16	μ 5 2,5m			
09.2.5.3	2.17	μ μ / 12 μ	10-08-01-00		
9316.3	2.18	μ 1 ins μ			

..../05/2018

..../05/2018

..../05/2018